

PRIME PORTAL

K A H N

CATALOG

External doors

2025 Lineup



ABOUT

At KAHN Systems, we redefine the concept of entry by creating premium entrance doors that combine architectural elegance, engineering precision, and uncompromising reliability.

We offer **entrance doors made of wood, aluminum, steel, and uPVC**, each tailored to meet specific climatic conditions, architectural styles, and security requirements. All models are resistant to deformation, fading, and extreme temperatures, ensuring excellent thermal and acoustic insulation and equipped with high-quality European hardware.

Wooden doors are crafted from carefully selected timber, using multi-layered construction and protective finishes. They offer natural beauty, warmth, and a sense of authenticity — ideal for projects focused on comfort, style, and sustainability.

Aluminum and steel doors feature clean lines, high durability, and strong burglary resistance. A wide range of finishes is available, including veneer, lacquer, porcelain panels, or glass, along with hidden hinges, magnetic locks, and smart access systems.

uPVC doors provide an energy-efficient solution with reinforced multi-chamber profiles, reliable sealing, and versatile aesthetics — from smooth or textured surfaces to glazed and decorative insert options.

Every KAHN door is custom-made to match the architectural vision of your project. More than just an entry point, it becomes an integrated design element — combining aesthetics, comfort, and security in one seamless solution.

FRONT DOOR

We have prepared a wide range of designs to choose from. Modern technologies used during production guarantee high resistance to external conditions and easy cleaning. We also offer the possibility of making doors according to your own design, we suggest the best construction solutions.



DOOR PANELS


Doors from the Eco, Alu and Wood lines are the most popular, universal solutions, chosen by the largest group of customers. We offer a wide range of designs. We allow customers to create their own projects, which we then implement for them. The materials and production techniques used ensure durability and ease of cleaning. Glazing can be installed in the doors.




EkoLine

AluLine


WoodLine



Design without
INOX applications



Pattern with
INOX application



x, y - dimension of the pattern in mm



**Available colour
options:**

- Aluplast
- Salamander
- Gealan
- RAL
- Teknos



Panel fillings available:

- composite + XPS extruded polystyrene
- foam
- plywood + XPS extruded polystyrene



**Materials from which
the door can be made:**

- PVC
- Aluminium (ALU)
- Wood

PANEL FILLING

We offer our customers panels with three types of filling - polyurethane foam, plywood or XPS extruded polystyrene. Each of them can be 24, 36 or 48 mm thick. Panels, depending on customer preferences and technical requirements, are made of HPL boards or aluminium sheet. HPL boards are veneered, sheet metal – varnished. On the other hand, in wooden doors, we offer panels with a thickness of 24, 34 and 46 mm.

HPL - EkoLine
Aluminium - AluLine

Composite
XPS extruded polystyrene



24 | 36 | 48 mm

EkoLine
AluLine

HPL - EkoLine
Aluminium - AluLine
Foam



24 | 36 | 48 mm

EkoLine
AluLine

HPL - EkoLine
Aluminium - AluLine

Plywood
XPS extruded polystyrene



24 | 36 | 48 mm

EkoLine
AluLine

Vennered
plywood
Foam




24 | 34 | 46 mm

WoodLine

DOOR GLAZING

As a standard, glazing in door panels is made of frosted glass. In panels with a thickness of 24 mm, we use safety glass on the external side. In panels with a thickness of 36 and 48 mm, the glazing is made of safety glass on both sides.




SAFE GLASS


Safety glass is made by covering the glass with special polyvinyl butyral films. In case of glass breakage, the glass fragments remain attached to the film (VSG glass). Tempered safety glass is characterised by greater resistance to breakage and temperature changes (ESG glass). Broken glass of this type breaks into small pieces with blunt edges, which reduces the risk of injury.



ORNAMENTAL GLAZING

We offer a wide range of glass with a motif, made of transparent glass and ornamental glass in the most popular patterns. Ornamental glass will work in homes, offices, shops, hotels and restaurants. It provides privacy and brightens the interior.







Panel 01



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 02



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 03



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU: 1100x2300
WOOD: 570x1750	WOOD: 840x2240


Panel 04



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2300
WOOD: 590x1650	WOOD: 840x2240

Panel 05



Without INOX application With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2300
WOOD: 590x1650	WOOD: 840x2240

Panel 06



Without INOX application With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 07



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 08



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 09



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 10




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 11



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 12



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 13



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 14




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 15



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 16



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 17



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 18



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 19



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU:1100x2300
WOOD: 570x1750	WOOD: 840x2240


Panel 20



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 660x1650	PVC: 900x2150
ALU: 660x1650	ALU:1100x2300
WOOD: 660x1650	WOOD: 840x2240

Panel 21



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 22




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 23



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 24



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2300
WOOD: 590x1650	WOOD: 840x2240


Panel 25



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 380x1650	PVC: 900x2150
ALU: 380x1650	ALU:1100x2300
WOOD: 380x1650	WOOD: 840x2240


Panel 26



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 27



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 28



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 410x1650	PVC: 900x2150
ALU: 410x1650	ALU: 1100x2300
WOOD: 410x1650	WOOD: 840x2240

Panel 29



Minimum panel size	Maximum panel size
PVC: 410x1650	PVC: 900x2150
ALU: 410x1650	ALU: 1100x2300
WOOD: 410x1650	WOOD: 840x2240

Panel 30




Minimum panel size	Maximum panel size
PVC: 420x1650	PVC: 900x2150
ALU: 420x1650	ALU: 1100x2300
WOOD: 420x1650	WOOD: 840x2240


Panel 31



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 32



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 33



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 34



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 35



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 36




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 37



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 38



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 39



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU:1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 40



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 41



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 42



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 43



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 580x1750	PVC: 900x2150
ALU: 580x1750	ALU:1100x2300
WOOD: 580x1750	WOOD: 840x2240


Panel 44



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 45



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240

Panel 46




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 47



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 48



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 640x1650	PVC: 900x2150
ALU: 640x1650	ALU: 1100x2300
WOOD: 640x1650	WOOD: 840x2240

Panel 49



Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2300
WOOD: 590x1650	WOOD: 840x2240

Panel 50




Minimum panel size	Maximum panel size
PVC: 450x1650	PVC: 900x2150
ALU: 450x1650	ALU: 1100x2300
WOOD: 450x1650	WOOD: 840x2240


Panel 51



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 52



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 620x1650	PVC: 900x2150
ALU: 620x1650	ALU: 1100x2300
WOOD: 620x1650	WOOD: 840x2240


Panel 53



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 640x1650	PVC: 900x2150
ALU: 640x1650	ALU:1100x2300
WOOD: 640x1650	WOOD: 840x2240


Panel 54



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240

Panel 55



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 56



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 57



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240


Panel 58



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 59



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 60



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 400x1650	PVC: 900x2150
ALU: 400x1650	ALU: 1100x2300
WOOD: 400x1650	WOOD: 840x2240

Panel 61



Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU:1100x2300
WOOD: 570x1750	WOOD: 840x2240

Panel 62




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
-	-

Panel 63



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 500x1650	PVC: 900x2150
ALU: 500x1650	ALU:1100x2300
WOOD: 500x1650	WOOD: 840x2240

Panel 64



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 500x1650	PVC: 900x2150
ALU: 500x1650	ALU:1100x2300
WOOD: 500x1650	WOOD: 840x2240

Panel 65



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240

Panel 66




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240

Panel 67



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 68



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 69



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240

Panel 70




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 71



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240

Panel 72



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 73



Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 74




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 75



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240


Panel 76



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 77



Minimum panel size	Maximum panel size
PVC: 620x1650	PVC: 900x2150
ALU: 620x1650	ALU: 1100x2300
WOOD: 620x1650	WOOD: 840x2240

Panel 78




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 79



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 80



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 81



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 82



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 630x1650	PVC: 900x2150
ALU: 630x1650	ALU: 1100x2300
WOOD: 630x1650	WOOD: 840x2240


Panel 83



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2300
WOOD: 590x1650	WOOD: 840x2240


Panel 84



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 85



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 420x1650	PVC: 900x2150
ALU: 420x1650	ALU:1100x2300
WOOD: 420x1650	WOOD: 840x2240


Panel 86



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 610x1650	PVC: 900x2150
ALU: 610x1650	ALU:1100x2300
WOOD: 610x1650	WOOD: 840x2240


Panel 87



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 88



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 89



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240

Panel 90




Minimum panel size	Maximum panel size
PVC: 610x1650	PVC: 900x2150
ALU: 610x1650	ALU:1100x2300
WOOD: 610x1650	WOOD: 840x2240


Panel 91



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 610x1650	PVC: 900x2150
ALU: 610x1650	ALU: 1100x2300
WOOD: 610x1650	WOOD: 840x2240


Panel 92



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 93



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240

Panel 94




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 95



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 380x1650	PVC: 900x2150
ALU: 380x1650	ALU:1100x2300
WOOD: 380x1650	WOOD: 840x2240

Panel 96



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 97



Minimum panel size	Maximum panel size
PVC: 650x1650	PVC: 900x2150
ALU: 650x1650	ALU: 1100x2300
WOOD: 650x1650	WOOD: 840x2240

Panel 98




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 99



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
–	–


Panel 100



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 101



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 102



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 103



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 104



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 390x1650	PVC: 900x2150
ALU: 390x1650	ALU: 1100x2300
WOOD: 390x1650	WOOD: 840x2240


Panel 105



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 106



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 107



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240


Panel 108



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 109



Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU:1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 110




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU:1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 111



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU:1100x2300
WOOD: 300x1650	WOOD: 840x2240

Panel 112



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU:1100x2300
WOOD: 300x1650	WOOD: 840x2240


Panel 113



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 615x1650	PVC: 900x2150
ALU: 615x1650	ALU:1100x2300
WOOD: 615x1650	WOOD: 840x2240


Panel 114



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 115



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 116



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 117



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU:1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 118



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 560x1650	PVC: 900x2150
ALU: 560x1650	ALU:1100x2300
WOOD: 560x1650	WOOD: 840x2240


Panel 119



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240

Panel 120



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 121



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1812	PVC: 900x2150
ALU: 370x1812	ALU: 1100x2300
WOOD: 370x1812	WOOD: 840x2240


Panel 122



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 123



Without INOX application



With INOX application



Minimum panel size

PVC: 370x1650

ALU: 370x1650

WOOD: 370x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2300

WOOD: 840x2240


Panel 124



Without INOX application



With INOX application



Minimum panel size

PVC: 600x1650

ALU: 600x1650

WOOD: 600x1650

Maximum panel size

PVC: 900x2150


ALU: 1100x2300

WOOD: 840x2240


Panel 125



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 650x1650	PVC: 900x2150
ALU: 650x1650	ALU: 1100x2300
WOOD: 650x1650	WOOD: 840x2240


Panel 126



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 127



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 128



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 129



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240


Panel 130



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 131



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 132



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2300
WOOD: 570x1650	WOOD: 840x2240


Panel 133



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU:1100x2300
WOOD: 590x1650	WOOD: 840x2240

Panel 134



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU:1100x2300
-	-


Panel 135



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 136



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2300
WOOD: 370x1650	WOOD: 840x2240

Panel 137



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 138



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel 139



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240

Panel 140



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 141



Without INOX application



With INOX applicatic




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 142



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 143



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370 x 1650	PVC: 900 x 2150
ALU: 370 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel 144



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

GLASS PANELS

EkoVitre glass door panels are chosen by architects who care about using as much natural light as possible. This elegant door, suitable for any style, can be adapted to individual needs thanks to the large number of finishing options. This is a great solution for individual and institutional investors.

Panels with a
thickness
of 24, 36 and 48
mm

Laminated glass

Handle or handrail



EkoVitre

Available colour options:



- Aluplast
- Salamander
- Gealan
- RAL
- Teknos

Materials from which the door can be made:



- PVC
- Aluminium (ALU)
- Wood

Panel fillings available:




- glazing unit (44.4cz. sandblasted /18Ar/44.2th)



Panel 01



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 02



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 03



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 09



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 10



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 13



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 14



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel 15



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1650	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200



EMBOSSED PANELS

ClassicLine is a combination of traditional aesthetics and modern materials, thanks to which the customer buys solid doors at an attractive price. The number of colour variants is impressive, and the resistance to external factors guarantees high comfort of use for years. Thanks to good performance parameters, they are an interesting proposition for investors who care about low maintenance costs.

Panels with a thickness
of 36 and 48 mm

Panels made of
MDF boards
and XPS foam

Handle or handrail



ClassicLine



Materials from which
the door can be made:

- Wood
- PVC




Available colour
options:

- Aluplast
- Salamander
- Gealan
- RAL
- Teknos

Panel 01



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 02



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 03



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 09



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 10



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 13



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 14



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 15



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 16



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 18



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 19



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 20



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel 21



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

PVC MODEL DOORS

We create model doors based on the most popular window and door systems in our offer. In this way, we guarantee perfect aesthetic consistency of the woodwork throughout the house. At the same time, we use solutions with the best performance parameters. The panels can adapt various glazing layouts and use the same colour schemes as windows.





Profiles from which the door can be made (Aluplast colours):

- Ideal 4000
- Ideal 5000
- Ideal 8000
- EkoSun 70




Profiles that can be used to make doors (Salamander colours):

• BluEvolutio92

Model 02



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 03



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 09



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 10



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 13



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 14



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 15



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 16



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 17



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 18



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 19



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 20



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 21



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 22



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 23



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 24



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 25



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 26



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 27



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 28



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 29



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 30



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 31



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 32



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 33



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 34



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 35



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 36



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 37



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 38



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 39



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 40



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150



DESPIRO PANELS

Extremely durable and elegant proposals. They add prestige to both new investments and renovated buildings. The technologically advanced filling ensures increased performance parameters and allows the door to be used in projects co-financed from ecological funds.



Despiro



Materials from which
the door can be made:

- Aluminium (ALU)




Available colors:

- RAL
- Decor (some models)

Panel DP01



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 500x1900	ALU: 1400x2600

Panel DP02



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 731x1900	ALU: 1400x2600

Panel DP03



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 500x2000	ALU: 1400x2600

Panel DP04



Technical drawing




- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 361x1900	ALU: 1400x2600

Panel DP05



Technical drawing




- Panel milling

Minimum panel size	Maximum panel size
ALU: 361x1900	ALU: 1400x2600

Panel DP06



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 720x1900	ALU: 1400x2600

Panel DP07



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 750x1900	ALU: 1400x2600

Panel DP08



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame

Minimum panel size	Maximum panel size
ALU: 500x2000	ALU: 1400x2600

Panel DP09



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 750x1900	ALU: 1400x2600

Panel DP10



Technical drawing




- Smooth panel without a pattern, flush on both sides

Minimum panel size	Maximum panel size
ALU: 361x1900	ALU: 1400x2600

Panel DP11



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 500x2000	ALU: 1400x2600

Panel DP12



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame

Minimum panel size	Maximum panel size
ALU: 750x1900	ALU: 1400x2600

Panel DP13



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 720x2000	ALU: 1400x2600

Panel DP14



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 500x2000	ALU: 1400x2600

Panel DP15



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 700x2000	ALU: 1400x2600

Panel DP16



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 500x2000	ALU: 1400x2600

Panel DP17



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 750x2000	ALU: 1400x2600

Panel DP18



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application
- Panel milling

Minimum panel size	Maximum panel size
ALU: 750x1900	ALU: 1400x2600

Panel DP19



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame

Minimum panel size	Maximum panel size
ALU: 500x1900	ALU: 1400x2600

Panel DP20



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, periphery de-matted,
- Rear glazing: thermofloat with a black warm frame

Minimum panel size	Maximum panel size
ALU: 750x1900	ALU: 1400x2600

Panel DP21



Technical drawing




• INOX recessed application

Minimum panel	Maximum panel size
ALU: 720x1900	ALU: 1400x2600

Panel DP22



Technical drawing




• INOX recessed application

Minimum panel size	Maximum panel size
ALU: 650x1900	ALU: 1400x2600

Panel DP23



Technical drawing




- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 801x1900	ALU: 1400x2600

Panel DP24



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 700x1900	ALU: 1400x2600

Panel DP25



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 650x1900	ALU: 1400x2600

Panel DP26



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Middle glazing: sandblasted float with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 650x1900	ALU: 1400x2600

Panel DP27



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- Grooved frame around the glazing

Minimum panel size	Maximum panel size
ALU: 600x2000	ALU: 1400x2600

Panel DP28



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float, with transparent stripes
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 550x1900	ALU: 1400x2600

Panel DP29



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 550x1900	ALU: 1400x2600

Panel DP30



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 550x1900	ALU: 1400x2600

Panel DP31



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 801x1900	ALU: 1400x2600

Panel DP32



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 550x1900	ALU: 1400x2600

Panel DP33



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 550x1900	ALU: 1400x2600

Panel DP34



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame

Minimum panel size	Maximum panel size
ALU: 750x1900	ALU: 1400x2600

Panel DP35



Technical drawing




- Panel milling

Minimum panel size	Maximum panel size
ALU: 550x2000	ALU: 1400x2600

Panel DP36



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- Panel milling

Minimum panel size	Maximum panel size
ALU: 600x1900	ALU: 1400x2600

Panel DP37



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 600x1900	ALU: 1400x2600

Panel DP38



Technical drawing




- Front glazing: VSG 33.1 thermofloat
- Central glazing: sandblasted float
- Rear glazing: thermofloat with a black warm frame
- INOX recessed application

Minimum panel size	Maximum panel size
ALU: 650x2000	ALU: 1400x2600




MASTERLINE 8 DESPIRO ALUMINIUM DOORS

The elegance and minimalism of the MasterLine 8 Despiro aluminium doors allow them to fit in with modern architectural trends. They are universal and perfectly complement traditional arrangements. The doors are made of sheet metal with a high degree of stiffness. Thanks to it, you can create sheet metal structures up to 1500 mm wide and 3000 mm high. They are available in the constantly expanded range of Despiro door panels, including the option of recessed handrail. This element can be highlighted in white (cold, warm or neutral) or blue.



MASTERLINE 8



Materials from which
the door can be made:

- Aluminium (ALU)




Available colors:

- RAL
- Decor wood-like

MASTERLINE 8 PIVOT ALUMINIUM DOOR

The value of space is determined by the way it is used. Aluminium doors with pivot hinges can open inwards and outwards by shifting the axis of rotation. These versatile designs can extend from floor to ceiling. Pivot doors are designed especially for modern spaces where ergonomics is crucial. They will perfectly emphasize the avant-garde offices and present the smart character of the apartments.



MASTERLINE 8



Materials from which
the door can be made:

- Aluminium (ALU)



Available colors:

- RAL
- Decor wood-like

STEEL DOORS

Steel doors are made on the basis of profiles also used in windows systems. They combine original design and above-average durability. The filling in the form of XPS polystyrene foam or OSB board with increased strength is responsible for the insulation. Made of galvanised steel, the panels perfectly fit into the minimalist style of contemporary architecture.





Materials from which
the door can be
made:



• Stal (STEEL)

Available colors
options:



• RAL

Panel fillings
available:



• foam

• OSB board

ALTERNATIVE FILLINGS FOR STEEL DOORS

In addition to standard fillings, alternative options are also available for steel doors, characterised by various technical parameters and aesthetics.



Garage door panels

The panel used in the garage door was integrated into the door. They are durable and easy to maintain and guarantee good thermal insulation. Choosing consistent aesthetics for the garage door and the external door grants elegance to the whole building.

Garage door panels can be used with Presto and Unico profiles.



AluLine panels

The filling in the form of AluLine panels allows you to choose from a rich catalogue of popular solutions, and even create your own project. Durable aluminium is an elegant choice for years that is easy to match with any building style.

AluLine panels can be used with Presto, Unico and Unico XS profiles.



EkoVitre panels


EkoVitre glass panels in steel doors are effective and universal thanks to the wide range of available designs. It is possible to prepare your own proposal. This extremely fashionable, safe option allows you to use natural light wisely and create original arrangements at the same time.

Eko-Vitre panels can be used with Presto, Unico and Unico XS profiles.




WARM THRESHOLD

We offer the installation of a warm threshold in two variants. The customer can choose to install it with insulation material or on a PVC system extension. In both cases, the user will gain proper thermal insulation below the floor. This solution prevents the formation of thermal bridges, thanks to which cool air does not get inside the room.



THRESHOLD-FREE EXTERNAL DOOR

They are distinguished by a double magnetic gasket in a flat threshold and levelling with the floor level up to 30 mm. Thanks to these features, the barrier between the apartment and the terrace is almost non-existent. Children, the elderly and people with disabilities enjoy the comfort of moving around the house without obstacles. The harmony of the living room with nature and the surroundings allows you to enjoy the charms of warm days.



DOOR ACCESSORIES

Accessories for the offered doors are not only a wide selection of handles and handrails in various shapes and colours. In addition to them, there are also additional technological solutions for hinges or espagnolette, as well as letterboxes or peepholes or devices controlling access to the building. The catalogue presents basic door accessories, the full offer is available in the sales department.



DOOR **HINGES**



Standard hinges (JOCKER Dr. Hahn, Wala WX and SFS Easy 3D)



Roller hinges (SFS Wala WR)



Concealed hinges (KFV AXXENT)

DOOR **LOCKS**



Available espagnolettes: 3-point, 5-point, 4 rollers, hook and automatic

MOTOR FOR DOOR **LOCKS**



G-U Security Automatic engine available

DOOR **CLOSERS**



Models available: GEZE, G-U lockable or non-lockable, Geze Boxer, Dorma93b, Geze5000

ACCESS CONTROL DEVICES



There are devices with a numeric key-pad, using RFID cards and scanning fingerprints.

VISORS



Visor with a diameter of 14 mm, satin ProStyle, chrome finish. Available for filling from 15 to 85 mm.

MAIL SLOTS



Available models: MILA
MILA, GAVA



HANDLE **VICTORY**



HANDLE **NEW YORK**



HANDLE **GREENTEQ**



HANDLE **PLUTON**



HANDLE **JOWISZ**



KNOB **FKS 1080**



PULL-HANDLE **PLUTON**



HANDLE **DG59**



HANDLE **35A/1200**



HANDRAIL **M1**



HANDRAIL **M2**



HANDRAIL **P GREENTEQ**



HANDRAIL
P45



HANDRAIL
P45B



HANDRAIL
P10



HANDRAIL
P8



HANDRAIL
P5



HANDRAIL
P1

SERIES
DP30



SERIES
DP40



SERIES
DP50



SERIES
DP60



SERIES
DP70



SERIES
DP80



RECESSED HANDRAIL **KA1A**

BLACK



INOX



LED*
WARM WHITE



LED*
NEUTRAL WHITE



LED*
COLD WHITE



LED*
BLUE




*Available only in Despiro and MasterLine 8 Despiro doors

AVAILABLE COLOURS

Exterior doors are more and more often a decorative element of both the entire building and the interior.

- Aluminium products can be covered with powder paint or veneer, and patterns can be created on them.
- Steel products look great in their natural form and can be painted in all colours from the RAL palette.
- Wooden doors can be can be varnished. Huge decorative possibilities are also offered by the choice of many types of wood.
- The basic way to decorate PVC is the selection of the colour and structure of the veneer. We have a wide range of colours for smooth and wood-like veneers, as well as profiles with a satin surface made in the acrylcolour technology.





ALUPLAST COLOUR PALETTE



AP 01



AP 02



AP 05



AP 06



AP 11



AP 15



AP 19



AP 20



AP 21



AP 22



AP 23



AP 25



AP 27



AP 28



AP 29



AP 30




AP 32



AP 34



AP 40



AP 41



AP 43



AP 44



AP 47



AP 50



AP 52



AP 60



AP 61



AP 62



AP 63



AP 65



AP 70



AP 71




AP 72



AP 75



AP 79



AP 88




AP 94



AP 95



AP 102



AP 103



AP 104



AP 105



AP 106



AP 107



AP 108



AP 109



AP 110



AP 111



AP 112



AP 113








AP 115







AP 116


SALAMANDER COLOUR PALETTE

						
SAL 03	SAL 11	SAL 18	SAL 19	SAL 21	SAL 25	SAL 26
						
SAL 27	SAL 33	SAL 37	SAL 39	SAL 41	SAL 42	SAL 43
						
SAL 50	SAL 51	SAL 52	SAL 55	SAL 59	SAL 67	SAL 69
						
SAL 71	SAL 72	SAL 73	SAL 74	SAL 78	SAL 84	SAL 87
						
SAL 88	SAL 90	SAL 92	SAL 93	SAL 94	SAL 98	SAL 107
						
SAL 108	SAL 109	SAL 110	SAL 111	SAL 112	SAL 113	SAL 115
						
SAL 116						

GEALAN COLOUR PALETTE

 GEA 01	 GEA 02	 GEA 03	 GEA 04	 GEA 07	 GEA 08	 GEA 09
 GEA 11	 GEA 12	 GEA 13	 GEA 16	 GEA 17	 GEA 19	 GEA 20
 GEA 21	 GEA 22	 GEA 23	 GEA 24	 GEA 25	 GEA 27	 GEA 28
 GEA 30	 GEA 31	 GEA 32	 GEA 34	 GEA 35	 GEA 37	 GEA 40
 GEA 41	 GEA 42	 GEA 43	 GEA 46			


GEALAN ACRYLCOLOR COLOURS




DB 703



RAL 7015



RAL 7016



RAL 7039



RAL 7040



RAL 8014



RAL 9005



RAL 9016




SILVER

ALUPROF DECOR COLOURS



ADEC B108



ADEC C110




ADEC D101



ADEC D207




ADEC J107




ADEC M103



ADEC M204




ADEC O102




ADEC O205



ADEC S106



ADEC W109



ADEC W205



RAL COLOUR PALETTE

ALUMINIUM | STEEL | WOOD



DECOR ALUMINIUM COLOURS



Also available in other versions imitating wood.



WOOD COLOUR PALETTE

	1. STONE PINE	2. OLD PINE	3. CYPRESS	4. IROKO	5. CHESTNUT	6. IDIGBO	7. SAPELLI	8. OAK
PINE								
MERANTI								
OAK								
SPRUCE								



* varnish colour may vary depending on the type of wood

SPRUCE	OAK	MERANTI	PINE	
				9. MAHOGANY
				10. CALVADOS
				11. WALNUT
				12. KEMPAS
				13. ASSAMELA
				14. CHERRY TREE
				15. WENCE
				16. ACAJOU



PRIME PORTAL

K A H N

Prime Portal Inc | KAHN | primeportal.ca | thekahn.ca | info@primeportal.ca | 647 863 0033
