

Company information:


PRIME PORTAL inc.
Company registration no.: 1001120039
Address:
Charmaine Heights 3421
L5A3C2 Mississauga
Ontario Canada

Contact details:

Pavlo
phone number.: 4162944675
e-mail: info@primeportal.ca

Price details WEB/25/0827575
25/05/2025

Window 001	Quantity: 1	System: [ALURON] RENOLINE 68 (DREWNO - ALU - RENOLINE)	Colour: Micro Pine
------------	----------------	---	--------------------




Inside View

Finishing	**NSTD_40**RAL: 7040
Outer frame	RENOLINE 68 Ościeżnica STD
Wall configuration	Customer's dimensions
Dimensions	610 mm x 1220 mm
Profile type	Standard
Undercut on the outside	none
Undercut on the inside	none
METHOD OF CONNECTING THE CORNERS OF ALUMINUM COVERS	Crimped
[FRAME] COLOR GROUP OF ALUMINUM COVER [ALURON]	RAL MAT (AR-MAT) [1]
[FRAME] OVERLAY COLOR [ALURON]	RAL 9016
COLOR OF THE SASH COVER IN A DIFFERENT COLOR	No
[SASH] COLOR GROUP OF ALUMINUM OVERLAY [ALURON]	
RAL MAT (AR-MAT) [1]	
[SASH] OVERLAY COLOR [ALURON]	RAL 9016
Automatyczny dobór koloru uszczelki	Yes
Gasket colour	Black

Automatyczny dobór koloru silikonu	Yes
Silicone color	czarny (RAL 9005)
Glazing required	4 ESG/16Ar/4th ESG [Ug=1.1] (24mm) [GS] NAMI
Glazing bead	STD glazing bead
Sash	Skrzydło okienne
Glazing bead	STD glazing bead
Fitting	Tilt-Turn ROTO NX
Hardware security type	Standard
Automatyczny dobór koloru osłonek	Yes
hinges cover color	Silver
Handle type	Hoppe Elegance (Secustic N10A 0108/US952)
Frezowanie klamki	Frezowanie pod klamke wewnętrznie
Handle type	Zwykła
Automatyczny dobór koloru klamki	Yes
Handle color	Silver
Messages	
Filling dimension No. [1]: 15.83x39.25	
Special offer: no extra charge for the warm spacer for glazing.	
1.01: Grubosc pakietu szybowego: 24	
Drainage type D is used in systems with aluskin (hidden drainage realized through channels in the overlay profile)	
Passage (width x height) Dimension in inches : 16.92 x 40.93 Sash: 1	
Passage (width x height) Dimension in inches : 16.92 x 40.93 Sash: 0	
IN WOOD-ALUMINUM SYSTEMS WE SUGGEST CHOOSING BLACK GASKET AND SILICONE.	
It is necessary to verify the price with the sales department.	
Undercut ext: Brak ext: Brak	
Rw (C;Ctr) = 33 (-1;-5) dB	
Thermal coefficient	Uw = 1,5 W/m²·K
Unit weight	29,8 Kg
Perimeter	3.7 m
Accessories	Amount
(Skrzydło czynne)Frame passage (for mosquito net) (width x height): 430 x 1040 Sash: 1	1
Passage (width x height) inch : 16.92 x 40.93 Sash: 0	1
Window volume 0.06 m^3	15.907275
Fillings	Dimensions
1.01 4 ESG/16Ar/4th ESG [Ug=1.1] (24mm) [GS] NAMI Solar gain = 65 % Light transmission = 82 %	402 x 997
Price	
Window	CA\$1,581.92

Window 002	Quantity: 1	System: [ALURON] RENOLINE 68 (DREWNO - ALU - RENOLINE)	Colour: Micro Pine
------------	----------------	--	--------------------




Inside View

Finishing	**NSTD_40**RAL: 7040
Outer frame	RENOLINE 68 Ościeżnica STD
Wall configuration	Customer's dimensions
Dimensions	1220 mm x 1220 mm
Profile type	Standard
Undercut on the outside	none
Undercut on the inside	none
METHOD OF CONNECTING THE CORNERS OF ALUMINUM COVERS	Crimped
[FRAME] COLOR GROUP OF ALUMINUM COVER [ALURON]	RAL MAT (AR-MAT) [1]
[FRAME] OVERLAY COLOR [ALURON]	RAL 9016
COLOR OF THE SASH COVER IN A DIFFERENT COLOR	No
[SASH] COLOR GROUP OF ALUMINUM OVERLAY [ALURON]	
RAL MAT (AR-MAT) [1]	
[SASH] OVERLAY COLOR [ALURON]	RAL 9016
Automatyczny dobór koloru uszczelki	Yes
Gasket colour	Black
Automatyczny dobór koloru silikonu	Yes
Silicone color	czarny (RAL 9005)
Transom	Słupek Stały 108mm
Glazing required	4 ESG/16Ar/4th ESG [Ug=1.1] (24mm) [GS] NAMI
Glazing bead	STD glazing bead
Sash 1	Skrzydło okienne
Glazing bead	STD glazing bead
Fitting	Turn - ROTO NX
Hardware security level	Standard
AUTOMATIC SELECTION OF COVERS' COLOR	Yes
Hinges cover color	Silver
Handle type	Hoppe Elegance (Secustic N10A 0108/US952)
Handle Milling	Internal Handle Milling
Handle type	Standard
AUTOMATIC SELECTION OF HANDLE COLOR	Yes
Handle color	Silver
Sash 2	Skrzydło okienne
Glazing bead	STD glazing bead
Fitting	Tilt-Turn ROTO NX
Hardware security type	Standard
Automatyczny dobór koloru osłonek	Yes
hinges cover color	Silver
Handle type	Hoppe Elegance (Secustic N10A 0108/US952)
Frezowanie klamki	Frezowanie pod klamkę wewnętrzną
Handle type	Zwykła
Automatyczny dobór koloru klamki	Yes
Handle color	Silver
Messages	

Filling dimension No. [1]: 16.85x39.25	
Special offer: no extra charge for the warm spacer for glazing.	
1.01: Grubosc pakietu szybowego: 24	
Drainage type D is used in systems with aluskin (hidden drainage realized through channels in the overlay profile)	
Passage (width x height) Dimension in inches : 17.94 x 40.93 Sash: 1	
Passage (width x height) Dimension in inches : 17.94 x 40.93 Sash: 0	
IN WOOD-ALUMINUM SYSTEMS WE SUGGEST CHOOSING BLACK GASKET AND SILICONE.	
Filling dimension No. [2]: 16.85x39.25	
2.01: Grubosc pakietu szybowego: 24	
Passage (width x height) Dimension in inches : 17.94 x 40.93 Sash: 2	
It is necessary to verify the price with the sales department.	
Undercut ext: Brak ext: Brak	
Rw (C;Ctr) = 33 (-1;-5) dB	
Thermal coefficient	Uw = 1,5 W/m²·K
Unit weight	58,5 Kg
Perimeter	4.9 m
Accessories	Amount
(Skrzydło czynne)Frame passage (for mosquito net) (width x height): 456 x 1040 Sash: 1	1
(Skrzydło czynne)Frame passage (for mosquito net) (width x height): 456 x 1040 Sash: 2	1
Passage (width x height) inch : 17.94 x 40.93 Sash: 0	2
Window volume 0.13 m³	31.81455

Fillings		Dimensions
1.01	4 ESG/16Ar/4th ESG [Ug=1.1] (24mm) [GS] NAMI Solar gain = 65 % Light transmission = 82 %	428 x 997
2.01	4 ESG/16Ar/4th ESG [Ug=1.1] (24mm) [GS] NAMI Solar gain = 65 % Light transmission = 82 %	428 x 997
Price		
Window		CA\$2,937.92

Window 003	Quantity: 1	System: [ALURON] RENOLINE 68 (DREWNO - ALU - RENOLINE)	Colour: Micro Pine
------------	----------------	--	--------------------



Inside View

Finishing	**NSTD_40**RAL: 7040	
Outer frame	RENOLINE 68 Ościeżnica STD	
Wall configuration	Customer's dimensions	
Dimensions	1220 mm x 1220 mm	
Profile type	Standard	
Undercut on the outside	none	
Undercut on the inside	none	
METHOD OF CONNECTING THE CORNERS OF ALUMINUM COVERS	Crimped	
[FRAME] COLOR GROUP OF ALUMINUM COVER [ALURON]	RAL MAT (AR-MAT) [1]	
[FRAME] OVERLAY COLOR [ALURON]	RAL 9016	
COLOR OF THE SASH COVER IN A DIFFERENT COLOR	No	
[SASH] COLOR GROUP OF ALUMINUM OVERLAY [ALURON]		
RAL MAT (AR-MAT) [1]		
[SASH] OVERLAY COLOR [ALURON]	RAL 9016	
Automatyczny dobór koloru silikonu	Yes	
Silicone color	czarny (RAL 9005)	
Glazing required	4 ESG/16Ar/4th ESG [Ug=1.1] (24mm) [GS] NAMI	
Glazing bead	STD glazing bead	
Sash	Fix in frame	
Glazing bead	STD glazing bead	
Fitting	Fix	
Messages		
Filling dimension No. [1]: 42.91x42.91		
Special offer: no extra charge for the warm spacer for glazing.		
1.01: Grubosc pakietu szybowego: 24		
IN WOOD-ALUMINUM SYSTEMS WE SUGGEST CHOOSING BLACK GASKET AND SILICONE.		
It is necessary to verify the price with the sales department.		
Undercut ext: Brak ext: Brak		
Rw (C;Ctr) = 33 (-1;-5) dB		
Thermal coefficient	Uw = 1,4 W/m²·K	
Unit weight	45,4 Kg	
Perimeter	4.9 m	
Accessories		Amount
Window volume 0.13 m^3		31.81455

Fillings		Dimensions
1.01	4 ESG/16Ar/4th ESG [Ug=1.1] (24mm) [GS] NAMI Solar gain = 65 % Light transmission = 82 %	1090 x 1090
Price		
Window		CA\$1,374.17

ADDITIONAL CHARGES

Code	Description	Quantity	Unit price	Total
DR_OPL_MANIP_KOL	Additional Charge for Custom Colors.	1 Pc.	CA\$163.12	CA\$163.12
Net price:			CA\$163.12	

TOTAL				
	Net price	Inc. tax rate	Gross price	
Products	CA\$5,894.01	0%	CA\$0.00	CA\$5,894.01
Articles	CA\$0.00	0%	CA\$0.00	CA\$0.00
Profiles	CA\$0.00	0%	CA\$0.00	CA\$0.00
Services	CA\$0.00	0%	CA\$0.00	CA\$0.00
Additional charges	CA\$163.12	0%	CA\$0.00	CA\$163.12
TOTAL price	CA\$6,057.14			CA\$6,057.14

Thermal coefficient summary						
Window	Qty	Uw	Surface	Total surface	Qty x Uw x Surface	Comment
001	1	1,5 W/m²·K	0.744 m²	0.744 m²	1.116 W·K	
002	1	1,5 W/m²·K	1.488 m²	1.488 m²	2.233 W·K	
003	1	1,4 W/m²·K	1.488 m²	1.488 m²	2.084 W·K	
	3			3.721 m²	5.433 W·K	
Average thermal coefficient: 1,5 W/m²·K						

Total weight: 133.7 kg
Total perimeter: 13.5 m