

PRIME PORTAL

K A H N

CATALOG

Sliding systems

2025 Lineup



ABOUT

At KAHN Systems, we redefine spatial flow and visual harmony with premium sliding door systems that combine refined aesthetics, technical sophistication, and effortless functionality. Our sliding solutions are not just partitions — they are architectural features that bring openness, light, and elegance into any environment.

Specializing in frameless and aluminum-profile sliding doors, we craft systems that deliver smooth, silent motion without floor tracks, preserving the purity of modern design. Every system is built using anodized aluminum profiles, high-performance German hardware, and 6 mm tempered glass — available in clear, satin, tinted, mirrored, or decorative finishes. Each panel is engineered for strength and precision, allowing for maximum dimensions up to 3200 mm in height and 1500 mm in width without visual breaks.

Our catalog includes both manual and automatic sliding systems — from single-panel to telescopic multi-panel configurations. Whether wall-mounted, recessed, or installed between partitions, all mounting types are discreet, functional, and optimized for architectural clarity. Decorative muntins can be added without compromising the integrity of the glass, serving as elegant accents rather than structural elements.

KAHN sliding systems are engineered to perform beautifully across residential, commercial, and hospitality spaces. From custom layouts to seamless niche integration, we offer full design flexibility to match the unique requirements of each interior. Automatic models add a layer of comfort with motion sensors, soft-close, and programmable controls — combining smart technology with minimalist elegance.

With deep manufacturing expertise and a passion for architectural innovation, KAHN Systems helps designers, architects, and builders unlock the full potential of space through sliding systems that are precise, adaptable, and visually stunning.

Let us help you create fluid, modern interiors — with technology that moves as elegantly as the design itself.

OVERVIEW & PRICING	4-5
MITO EASY	6
MITO CLASSICO	7
MITO COMPREX	8
MAGIG 2 & PIVOT OVERVIEW	9
MAGIC 2	10
PIVOT	11
INSANE SERIES OVERVIEW	12-13
OPEN	14
SLIDING	15
SHOWER	16
COMMERCIAL	17
SLIM	18

SLIDING SYSTEMS

Sliding and pocket door systems are an essential part of the KAHN brand's product range, offering stylish and functional solutions for modern interiors. Our selection includes premium Diva-Air and Magic sliding systems with concealed tracks, ensuring smooth, silent movement and creating a sleek, floating effect. These models are ideal for contemporary, minimalist designs, providing an elegant and practical way to divide spaces seamlessly.

In addition, we offer high-quality Italian Mito pocket systems (Easy, Classic and Comprex), available with or without trim. These systems allow doors to slide into the wall, saving space while enhancing the overall aesthetics of the interior. KAHN products are known for their exceptional durability, high-quality craftsmanship, and easy installation, making them a perfect choice for both residential and commercial applications.





EASY



CLASSICO



COMPREX

MITO


DOOR HEIGHT		≤2050mm	≤2150mm	≤2250mm	≤2350mm	≤2450mm	≤2550mm	≤2650mm	≤2750mm	≤3000mm
FRAME	SILVER	420	460	500	560	600	660	700	760	-
	BLACK	420	460	500	560	600	660	700	760	-
PAINT	PRIMER	28	33	39	45	50	56	61	70	-
	RAL cat.1	137	151	165	179	193	206	218	232	-
	RAL cat.2	159	173	187	198	212	226	240	254	-
	NCS	181	195	209	223	237	251	265	276	-
VENEER	FINE-LINE	246	257	271	285	296	312	329	343	-
	NATURAL cat.1	187	195	206	215	226	237	248	262	-
	NATURAL cat.2	206	218	229	240	251	265	276	290	-
	NATURAL cat.3	254	268	279	293	310	324	340	357	-
MIRROR	SILVER	179	190	198	209	218	229	240	251	-
	BRONZE	226	237	248	259	273	287	301	315	-
	GRAPHITE	226	237	248	259	273	287	301	315	-
GLASS	WHITE	226	237	248	259	273	287	301	315	-
	BLACK	226	237	248	259	273	287	301	315	-
	RAL, NCS	268	282	296	310	326	340	360	377	-
	HPL	98	103	109	114	120	126	131	137	-
	CUSTOM	156	165	173	181	190	198	209	220	-
	SAUERLAND	86	92	98	100	109	112	117	123	-

Prices are listed in CAD

DESCRIPTION


The HANDY closer is a convenient and reliable solution for pocket sliding doors, designed to provide smooth and controlled closing. With its compact design and high-quality components, the closer ensures the door closes softly and quietly, improving both functionality and comfort in your space. It is suitable for various pocket sliding systems, offering compatibility and ease of installation.

Ideal for homes or commercial spaces, the HANDY closer adds practicality and safety by preventing abrupt door movements. Its durable construction and user-friendly mechanism make it a great addition to modern interiors, ensuring long-lasting performance and a sleek aesthetic.




A pen box for sliding doors is a structure consisting of a metal frame, a casing, and a guide that allows the door to slide into the wall. It is extremely important that the system is designed using high-quality materials that ensure functionality and long-term use.

The metal pen box is designed for quick and easy installation inside walls of various types, and can also be installed onto an existing floor, making it an ideal choice for updating interiors and saving space in the home. Thanks to the opposing rail with a selected groove and seal, the door closes tightly and is well insulated, blocking sound, light, and odors. All hardware and the pen box are made in Italy, ensuring long-lasting, trouble-free, and silent operation. Since the pen box is made in standard sizes, you will have no problems with installation.





DOUBLE





All dimensions are given in mm.

Recommended for: When you need to save space or want the convenience of sliding doors with the elegance and minimalism of concealed designs.



L x H	C x H1	A	B
600x2100	1280x2185	655	605
700x2100	1485x2185	755	705
800x2100	1685x2185	855	805
900x2100	1885x2185	955	905
1000x2100	2085x2185	1055	1005

DOUBLE



L x H	C x H1	A	B
1200x2100	2470x2185	1250	605
1400x2100	2870x2185	1450	705
1600x2100	3270x2185	1650	805
1800x2100	3670x2185	1850	905
2000x2100	4070x2185	2050	1005


All dimensions are given in mm.

DESCRIPTION

The Classico Pocket Sliding System features a classic design with a box and trims. This innovative solution optimizes space and adds style to your home or apartment. Unlike traditional doors, pocket doors save floor space and free up walls when opened, improving room functionality. A meeting plate with a milled groove for seals and brushes ensures tight closure, providing sound, light, and odor insulation.


Recommended for: When space-saving, functionality, and interior updates are needed for fans of classic door designs with trims.

COMPREX



L x H	C x H1	A	B
600x2100	1275x2185	655	620
700x2100	1475x2185	755	720
800x2100	1675x2185	855	820
900x2100	1875x2185	955	920

DOUBLE



L x H	C x H1	A	B
1200x2100	2490x2170	1250	620
1400x2100	2890x2170	1450	720
1600x2100	3290x2170	1650	820
1800x2100	3690x2170	1850	920

DESCRIPTION

The Complex Pocket Sliding System is a revolutionary solution for drywall. Its telescopic design allows it to expand to four different widths within a single pocket, offering one convenient and ready-to-install product. Ideal if you're unsure about the exact opening width or need to save valuable storage space before installation. The roller load capacity, dimensions, and panel size are identical to the Classico sliding system.

Recommended for: When flexibility in opening width, compact storage options, and easy installation are top priorities.

All dimensions are given in mm.

MAGIC 2 & PIVOT DOORS

Each door is manufactured according to individual specifications, allowing you to choose the perfect combination of materials, colors, and finishes. You can select the frame, paint, veneer, glass, or mirror in various shades, as well as customize the door's core. With a wide range of finishing options, the doors can seamlessly fit into any interior style, from minimalism to classic elegance. A personalized approach to each order ensures not only aesthetic appeal but also high-quality craftsmanship. The door's construction guarantees durability, strength, and ease of use. We offer modern solutions for creating a stylish and functional space. The ability to choose textures and shades allows you to highlight the uniqueness of your interior. Our doors blend harmoniously with various design concepts and furniture. Exclusive materials and advanced manufacturing technologies provide a premium look. Create a door that will become a striking accent in your interior.

DOOR HEIGHT		≤2050mm	≤2150mm	≤2250mm	≤2350mm	≤2450mm	≤2550mm	≤2650mm	≤2750mm	≤3000mm
FRAME	SILVER	420	460	500	560	600	660	700	760	800
	BLACK	420	460	500	560	600	660	700	760	800
	BROWN	480	520	560	600	640	680	720	780	840
	GOLD	480	520	560	600	640	680	720	780	840
	WHITE (coming soon)	480	520	560	600	640	680	720	780	840
PAINT	PRIMER	28	33	39	45	50	56	61	70	81
	RAL cat.1	137	151	165	179	193	206	218	232	279
	RAL cat.2	159	173	187	198	212	226	240	254	304
	NCS	181	195	209	223	237	251	265	276	332
VENEER	FINE-LINE	246	257	271	285	296	312	329	343	413
	NATURAL cat.1	187	195	206	215	226	237	248	262	312
	NATURAL cat.2	206	218	229	240	251	265	276	290	349
	NATURAL cat.3	254	268	279	293	310	324	340	357	430
MIRROR	SILVER	179	190	198	209	218	229	240	251	304
	BRONZE	226	237	248	259	273	287	301	315	379
	GRAPHITE	226	237	248	259	273	287	301	315	379
GLASS	WHITE	226	237	248	259	273	287	301	315	379
	BLACK	226	237	248	259	273	287	301	315	379
	RAL, NCS	268	282	296	310	326	340	360	377	452
	HPL	98	103	109	114	120	126	131	137	165
	CUSTOM	156	165	173	181	190	198	209	220	265
	SAUERLAND	86	92	98	100	109	112	117	123	148

Prices are listed in CAD



MAGIC 2

DESCRIPTION

Equipped with patented dampers for smooth closing, adjustable stoppers, improved lower wheels with a double layer of rubber, and a micrometric adjustment system that allows for height and parallelism corrections without dismantling the door.

The system is suitable for single-leaf doors weighing up to 80 kg and up to 71" in width. The lower metal guide with a plastic coating reduces noise levels, and installation is possible for both left- and right-handed doors. Proper installation requires a qualified approach, with all adjustments accessible from the top for ease of use.

- NO VISIBLE SLIDING TRACKS
- NO VISIBLE SOFT CLOSING DAMPER
- NO VISIBLE SLIDING TROLLEYS

C\$675

Price for hardware only. The cost of the door is calculated separately.



PIVOT

DESCRIPTION


Pivot doors offer a modern and innovative alternative to traditional interior doors. Unlike standard hinged doors, they swing from a single pivot point, creating a sleek and sophisticated design. Crafted in Italy, these doors combine exceptional functionality with contemporary elegance, making them a standout feature in any home or office. The unique pivot mechanism ensures smooth operation while enhancing the overall aesthetic appeal of your space.

Our pivot doors are fully customizable, allowing you to select materials, finishes, and sizes that complement your interior design. Whether you prefer a minimalist or elaborate style, these doors can be tailored to fit your vision. Beyond functionality, pivot doors add a touch of luxury, seamlessly dividing spaces while maintaining an open and airy feel.

C\$573

Price for hardware only. The cost of the door is calculated separately.

INSANE SERIES




NEW YORK




NAPOLI



PARIS




TOKYO



GENEVA



LONDON



MANCHESTER

DESCRIPTION

- Proprietary solid aluminum profile, uniform vertically and horizontally.
- Invisible double screw connections, 45° angled profile cuts for aesthetic appearance.
- Anodized aluminum profile with optional RAL color powder coating.
- Hidden seal within the profile ensuring practicality and aesthetics.
- No bottom track; bottom guide pin is invisible yet functional.
- Always tempered single-pane glass (6 mm thick). Maximum dimensions: H3200 mm x W1500 mm.
- Decorative mullions (do not physically divide the glass).
- Premium German hardware by Häfele: Soft-close mechanism from 600 mm width (single-sided) and from 760 mm (double-sided).
- Versatile installation: from rough construction stages to finished interiors without cassette systems.

MOUNTING METHODS

Flush Mount (Recessed):

- Suitable for drywall or stretch ceilings, requiring early preparation.
- Typically two-stage installation (track first, then panels).

Surface Mount (Overhead):

- Installed on finished ceilings with visible rail (34 mm) and decorative covers.
- Generally single-stage installation (track and panels simultaneously).

Wall Mount:

- Fixed directly above opening with visible rail (34 mm) and decorative end caps.
- Single rail for one or two panels.

Niche Mount:

- Mounted in ceiling niches prepared during rough construction.
- Single rail standard; options for double or triple rails considered individually.
- Requires special factory-ordered rails from Germany (additional lead time required).

ALUMINUM PROFILE

- Proprietary aluminum alloy (no ferrous metals), offering reduced weight, higher strength, and aesthetic appeal.
- Profiles are anodized for weather and moisture protection; available in transparent anodization with subsequent powder coating or direct black anodization (thinner coating).
- Profile T-shaped, hidden rubber seals, and bottom guide pin instead of bottom track for unobstructed usage.

DOOR PANEL (LEAF)

- Profile Classic series, uniform horizontally and vertically.
- Panel joints at 45° angle with hidden double screws, providing aesthetic appeal and structural reliability.
- Decorative mullions purely aesthetic; do not affect structural integrity or divide the glass physically.

GLASS

Tempered single-pane 6 mm thick glass, always integral regardless of dimensions (up to H3200 mm x W1500 mm). Decorative mullions visually divide glass but do not physically separate it.

Wide range of glass types:

- Clear (standard and diamond)
- Satin (standard and diamond)
- Tinted (bronze, graphite, satin-bronze, satin-graphite)
- Semi-mirrored (Stopsol graphite)
- Special glass types (Flutes 4 mm, Lacobel, enamel, mirror, ceramic painted, photo printing) available with size constraints.

AUTOMATIFICATION

- Electric-powered automatic sliding system with touch-sensitive activation.
- Intelligent system reverting to manual mode upon power outages.
- Autonomous recovery to original settings when power returns.

OPENING TYPES

Single Panel:

- Sliding parallel along walls or within niches.
- Single-track system.

Two Panels:

- Panels sliding apart or together within openings or along walls.
- Single or dual tracks, telescopic (cascade) options.

Three Panels:

- Panels sliding in one direction or center opening options.
- Telescopic systems available for space efficiency.

Four Panels:

- Multiple-panel arrangements, opening centrally or telescopically.
- Designed to maximize space and accessibility.

UNIQUE

- Telescopic systems for optimal space management.
- Customizable product designs.
- Comprehensive project support: consultation, calculation within one day, and turnkey service available in select regions.
- Experienced technical team ensuring high-quality installation.



TECHNICAL FEATURES

- Aluminum Classic Profile – uniform appearance horizontally and vertically, T-shaped groove for glass fixation.
- Horizontal profile includes grooves for hardware attachment.
- Minimal gap from floor to door panel – 7-10 mm.
- Decorative mullions available, flat or volumetric.



SLIDING +automatic

TECHNICAL FEATURES

- Innovative automatic opening activated by gentle push (adjustable sensitivity).
- Powered by electricity (220V); manual operation available during power outages.
- Automatically returns to preset positions after power restoration.
- Door width range: 500 to 1500 mm.
- Auto-close timer.
- Synchronization between multiple panels.
- Obstacle detection.

ADDITIONAL OPTIONS

- Automatic LED lighting upon opening/closing.
- Remote control or button activation.
- Motion sensors.

REQUIREMENTS

- 220V electrical supply.
- Ceiling drop (drywall) minimum 120 mm.
- Revision openings required for system maintenance.



SHOWER

TECHNICAL FEATURES

- Same premium aluminum profile and 6 mm tempered glass technology as standard systems.
- Glass options: Clear, satin, tinted (bronze, graphite), Lacobel, enamel, mirror, ceramic-painted, and photo printing.
- Primarily wall-mounted or niche-mounted, ensuring minimal gaps for maximum water tightness.



TECHNICAL FEATURES

- Designed specifically for offices, retail spaces, meeting rooms, and commercial facilities.
- Robust structure suitable for intensive use and heavy traffic environments.
- Glass and profile standards match the high quality and aesthetics of residential products.
- Possibility to integrate automatic systems and additional accessories (soft-close mechanisms, remote controls, sensors).



Slim Series by Sliding Doors represents a perfect balance of minimalist aesthetics, functionality, and engineering excellence. Designed specifically for modern interiors, Slim Series doors feature ultra-thin aluminum profiles, maximizing the visual transparency and elegance of your space.

SLIM

TECHNICAL FEATURES

Ultra-Slim Aluminum Profile:

Minimalist and lightweight aluminum frames ensure maximum glazing area, delivering a contemporary, clean-line aesthetic.

High-Quality Tempered Glass:

Uses 6 mm single-pane tempered glass, available in clear, satin, tinted (bronze, graphite), mirrored, or customized options such as ceramic painting and digital printing.

Invisible Hardware:

High-quality German Häfele hardware with concealed soft-close mechanisms ensures smooth, quiet, and reliable operation.

Profile Finish Options:

Anodized aluminum finish available in natural or black, or powder-coated in any RAL color for individual design requirements.

Flexible Configuration:

Slim Series provides versatile opening solutions including single-panel, double-panel, telescopic (cascade), and niche applications, adapting effortlessly to any architectural layout.

Minimal Gap:

Precise construction guarantees minimal clearance of just 7–10 mm from the floor, offering visual purity and enhancing usability.

PRIME PORTAL

K A H N

Prime Portal Inc | KAHN | primeportal.ca | thekahn.ca | info@primeportal.ca | 647 863 0033
